

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):



- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**


**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

【書類名】 図面

【図 1】




【図2】




Takayuki KATO, et al. Q81163  
 METHOD OF PRODUCING HOLLOW.....  
 Darryl Mexic  
 April 19, 2004  
 2 of 9 202-293-7060

【図3】

F: 9.3




【図4】



Grain size

F: 9. 4

【図5】



【図6】





Fig. 6

【図7】




*Grain size*

*Fig. 7*




【図8】



*Grain size*

*Fig. 8*

【図9】



Grain size.

F.9.9